


**Tipo 1 o Recta.**  
**Desbaste rápido de todo tipo de metales ferrosos.**



## Rueda de Esmeril - A



### FICHA TECNICA

Tipo de Grano: Óxido de Aluminio Marrón.

Tipo: 1.

Aglutinante: V (Vitrificado).

Materiales: - Metales ferrosos.  
 - Aceros al carbón.  
 - Otras aleaciones.

### USOS

- Para aplicaciones generales en la industria metalmeccánica y talleres de mantenimiento en todo tipo de metales ferrosos.


### BENEFICIOS

- Larga duración.
- Alta remoción de material.
- No se desgrana.

RUEDAS DE ESMERIL (A)				
Clave	Granos	Dimensiones		📏
		Pulgadas	Milímetros	
2801	36	5" x 3/4"	125 x 20	2
2802	46	5" x 3/4"	125 x 20	2
2803	24	5" x 1"	125 x 25.4	2
2804	36	5" x 1"	125 x 25.4	2
2805	46	5" x 1"	125 x 25.4	2
2806	24	6" x 3/4"	150 x 20	2
2807	36	6" x 3/4"	150 x 20	2
2808	46	6" x 3/4"	150 x 20	2
2809	60	6" x 3/4"	150 x 20	2
2901	24	6" x 1"	150 x 25.4	2
2902	36	6" x 1"	150 x 25.4	2
2903	46	6" x 1"	150 x 25.4	2
2904	60	6" x 1"	150 x 25.4	2
2905	36	7" x 3/4"	180 x 20	2
2906	24	7" x 1"	180 x 25.4	2
2907	36	7" x 1"	180 x 25.4	2
2908	46	7" x 1"	180 x 25.4	2
2909	60	7" x 1"	180 x 25.4	2

RUEDAS DE ESMERIL (A)				
Clave	Granos	Dimensiones		📏
		Pulgadas	Milímetros	
2910	46	8" x 3/4"	200 x 20	2
2911	60	8" x 3/4"	200 x 20	2
2912	24	8" x 1"	200 x 25.4	2
2913	36	8" x 1"	200 x 25.4	2
2914	46	8" x 1"	200 x 25.4	2
2915	60	8" x 1"	200 x 25.4	2
2916	24	10 x 1"	250 x 25.4	4
2917	36	10 x 1"	250 x 25.4	4
2918	46	10 x 1"	250 x 25.4	4
2919	60	10 x 1"	250 x 25.4	4
2920	24	10 x 1" 1/2	250 x 38.1	4
2921	36	10 x 1" 1/2	250 x 38.1	4
2922	46	10 x 1" 1/2	250 x 38.1	4
2923	60	10 x 1" 1/2	250 x 38.1	4
2924	24	12 x 1" 1/2	300 x 38.1	4
2925	36	12 x 1" 1/2	300 x 38.1	4
2926	46	12" x 2"	300 x 50	4

*Type 1 or flat shape.  
Fast grinding in all type of ferrous metals.*



## Emery Wheels - A



### DETAILS

Type of Grit: Brown Aluminum Oxide (A).

Type: 1.

Agglutinant: Vitrified (V).

Materials: Ferrous metals.

Steels to the carbon.

Other alloys.

### APPLICATIONS

- For general applications in the metalmechanic industry, maintenance workshops in all kinds of ferrous metals.
- Emery of bank.

### BENEFITS

- Long and lasting use.
- High material remotion.
- The abrasive grain does not fallen

Emery Wheels (A)				
Key	Grain	Dimensions		Image
		Inches	Millimeters	
2801	36	5" x 3/4"	125 x 20	2
2802	46	5" x 3/4"	125 x 20	2
2803	24	5" x 1"	125 x 25.4	2
2804	36	5" x 1"	125 x 25.4	2
2805	46	5" x 1"	125 x 25.4	2
2806	24	6" x 3/4"	150 x 20	2
2807	36	6" x 3/4"	150 x 20	2
2808	46	6" x 3/4"	150 x 20	2
2809	60	6" x 3/4"	150 x 20	2
2801	24	6" x 1"	150 x 25.4	2
2902	36	6" x 1"	150 x 25.4	2
2903	46	6" x 1"	150 x 25.4	2
2904	60	6" x 1"	150 x 25.4	2
2905	36	7" x 3/4"	180 x 20	2
2906	24	7" x 1"	180 x 25.4	2
2907	36	7" x 1"	180 x 25.4	2
2908	46	7" x 1"	180 x 25.4	2
2909	60	7" x 1"	180 x 25.4	2

Emery Wheels (A)				
Key	Grain	Dimensions		Image
		Inches	Millimeters	
2910	46	8" x 3/4"	200 x 20	2
2911	60	8" x 3/4"	200 x 20	2
2912	24	8" x 1"	200 x 25.4	2
2913	36	8" x 1"	200 x 25.4	2
2914	46	8" x 1"	200 x 25.4	2
2915	60	8" x 1"	200 x 20	2
2916	24	10" x 1"	250 x 20	2
2917	36	10" x 1"	250 x 20	2
2918	46	10" x 1"	250 x 20	2
2919	60	10" x 1"	250 x 25.4	2
2920	24	10" x 1.1/2"	250 x 25.4	2
2921	36	10" x 1.1/2"	250 x 25.4	2
2922	46	10" x 1.1/2"	250 x 25.4	2
2923	60	10" x 1.1/2"	250 x 20	2
2924	24	12" x 1.1/2"	300 x 25.4	2
2925	36	12" x 1.1/2"	300 x 25.4	2
2926	46	12" x 2"	300 x 25.4	2